

110 110 110

~~3811/122 #1971Y.8~~

500000 100000 180000 220000

150000 100000 100000 180000

150000 100000 100000 180000

100000 100000 100000 180000

100000 100000 100000 180000

100000 100000 100000 180000

100000 100000 100000 180000

100000 100000 100000 180000

~~750000 Proof Tax 7~~

~~100000 100000 80000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

~~200000 200000 200000 200000~~

1000000 2000000 3000000 4000000

10 1100-11-38 3
PA 1100-11-38

0000

2160 Sat 12/23 06.15

23/11/00

23/11/00 11-38 38.16

PA 11-38 38.17

21/11/00 11-38 38.18

PA 11-38 38.19

21/11/00 PA 11-38 00.20

00.20

long 100.80000 0310.2 821.1.21

23/11/00 38.11.80

23/11/00 11-38 62.18.22

PA 11-38 11-38.00

PA 11-38 058 38.2 61.1.23

180000 0100-3800 11-38

560000 016 38.2 7.5 11-38.24

PA 11-38 00.00 11-38.25

PA 11-38 11-38 11-38.26

PA 11-38 00.00 11-38.27

PA 11-38 11-38 11-38.28

~~180000 0100-3800 11-38~~

0.5 38.2 7.2 11-38.28

PA 11-38 00.00 11-38.29

PA 11-38 00.00 11-38.28

PA 11-38 00.00 11-38.29

30

- ~~1400-21.20 7/8.2~~
- 11.2.8.2 - 200 12.1
- 11.2.8.2 P.7.2 8.1
- Re 1.0, S.2
- ~~1400-21.20 7/8.2~~ 12.3
- 1400-8.35 7/10.20 12.4
- 1400-11.30 7/8.20 12.4
- 12.0 7/8.20
- 1400-15.20 7/10.5
- 12.0 7/8.20 12.6
- 1400-12.20 7/10.5 12.7
- 12.0 7/8.20
- 1400-16.20 7/10.8
- 12.0 7/8.20
- 1400-25.20 7/10.8 7/10.9
- 118.8.0
- 1400-20.0 7/8.20 12.10
- 12.0 7/8.20 12.11
- 12.0 7/8.20
- 12.0 7/8.20 12.12
- 12.0 7/8.20 12.13
- 12.0 7/8.20 12.14
- 12.0 7/8.20 12.15
- 12.0 7/8.20 12.16
- 12.0 7/8.20 12.17

96° east west / 20 deg N
50° west 20° N 150°
60° west 30° N 150°
10° 20° 30° 35° 40° 45° 50° 55° 60° 65° 70° 75° 80° 85° 90° 95° 100° 105° 110° 115° 120° 125° 130° 135° 140° 145° 150° 155° 160° 165° 170° 175° 180°

40. 76°C - 00. + 1.2, 0.71
50. 65°C - 0.1 15.5, 0.28
60. 65°C - 0.1 10.5, 0.20
70. 65°C - 0.1 10.5, 0.28 00. + 1.2
80. 65°C - 0.1 10.5, 0.28
90. 65°C - 0.1 10.5, 0.28
100. 65°C - 0.1 10.5, 0.28

60. 65°C - 0.1 10.5, 0.28
70. 65°C - 0.1 10.5, 0.28
80. 65°C - 0.1 10.5, 0.28
90. 65°C - 0.1 10.5, 0.28
100. 65°C - 0.1 10.5, 0.28

t = 24, ~~26~~ 28.92°
Pap 10°, 0.0
88 27.5°C 0.1 10.5
nr. / design 00. + 1.2
90. 65°C - 0.1 10.5, 0.28

88. 27.5°C 0.1 10.5
90. 65°C - 0.1 10.5, 0.28
92. 65°C - 0.1 10.5, 0.28
94. 65°C - 0.1 10.5, 0.28
96. 65°C - 0.1 10.5, 0.28
98. 65°C - 0.1 10.5, 0.28
100. 65°C - 0.1 10.5, 0.28

88. 27.5°C 0.1 10.5
90. 65°C - 0.1 10.5, 0.28
92. 65°C - 0.1 10.5, 0.28
94. 65°C - 0.1 10.5, 0.28
96. 65°C - 0.1 10.5, 0.28
98. 65°C - 0.1 10.5, 0.28
100. 65°C - 0.1 10.5, 0.28

88. 27.5°C 0.1 10.5
90. 65°C - 0.1 10.5, 0.28
92. 65°C - 0.1 10.5, 0.28
94. 65°C - 0.1 10.5, 0.28
96. 65°C - 0.1 10.5, 0.28
98. 65°C - 0.1 10.5, 0.28
100. 65°C - 0.1 10.5, 0.28

91. 27.5°C 0.1 10.5, 0.28
92. 65°C - 0.1 10.5, 0.28
94. 65°C - 0.1 10.5, 0.28
96. 65°C - 0.1 10.5, 0.28
98. 65°C - 0.1 10.5, 0.28
100. 65°C - 0.1 10.5, 0.28

81. 4200 35 65 501.8 5.
28 0.1 15.
11. 0.1 15. 20. ~ 1. 181.
31. 0.1 15. 20. ~ 1. 181.
51. 210. 1. 23. 32. 25. 501.8 5.
81. 28 0.1 15. 12. 5 22. 2. 1. 181.
28. 81. 1. 15. 20. ~ 0.8. 21. 26
11. 28 0.1 15. 10. ~ 1. 108
28 0.1 15. 20. ~ 0.8. 21. 26
21. 20. ~ 0.1 15. 20. ~ 1. 108. 2
11. 210. 28 0.8. 21. 26. 2. 1. 181.
01. 28 0.1 15.
28 0.1 15. 20. ~ 1. 108
6. 20. ~ 0.1 15. 20. ~ 1. 108
8. 28 0.1 15.
11. 20. ~ 0.1 15. 20. ~ 1. 108
9. 20. ~ 0.1 15. 20. ~ 1. 108
5. 20. ~ 0.1 15. 20. ~ 1. 108
28 0.1 15.
11. 20. ~ 0.1 15. 20. ~ 1. 108
28 0.1 15. 20. ~ 1. 108
3. 28 0.1 15. 20. ~ 1. 108
28 0.1 15. 20. ~ 1. 108
3. 28 0.1 15. 20. ~ 1. 108
28 0.1 15. 20. ~ 1. 108
1. 20. ~ 0.1 15. 20. ~ 1. 108
2. 20. ~ 0.1 15. 20. ~ 1. 108

(N.W. C. 18)
~ 0.1 15.

→ 50.00 Fr. 0.00 18.00
P. 50.00 Fr. 0.00 19.00
P. 50.00 Fr. 0.00 20.00
P. 50.00 Fr. 0.00 21.00
12.00 23.00
13.00 0.00 0.00 → 21.00 80.00
1.80 0.00 0.00 80.00
P. 10.00 10.00 0.00 50.00
5.00 0.00 0.00 50.00
10.00 P. 10.00 0.00 10.00 X.
10.00 0.00 P. 10.00 0.00 50.00
10.00 0.00 0.00 50.00 6.00
10.00 0.00 0.00 0.00 7.00
28.00 0.00 0.00 0.00 8.00
10.00 0.00
12.00 23.00 → 12.00 9.00
2.00 0.00 0.00 2.00
10.00 10.00 0.00 10.00 X.
10.00 10.00 0.00 10.00 11.00
10.00 10.00 0.00 10.00 12.00
10.00 0.00 0.00 0.00 13.00
2.00 0.00 0.00 0.00 14.00
10.00 0.00 0.00 0.00 14.00
10.00 10.00 0.00 10.00 15.00
2.00 0.00 0.00 0.00 15.00
10.00 10.00 0.00 10.00 16.00
12.00 0.00 0.00 12.00 17.00
2.00 0.00 0.00 0.00 17.00

R-22-1820 #27218.2

137 pr.02 22112.00.1

2233 Lbsn per 12 pr.00.88

137 pr.02 22112.00.2
in.00.88

137 pr.02 1100 1.00.3

PC 3" 6" pr.00.88

PC 3" 6" pr.00.88

12x1100 pr.88 1.5.5

PC 1" 8" 6" 12x10 1.2.88 1.6

137 183 1311 1.00.7

137 183 1311

137 pr.02 1100 1.00.8

137 pr.02 1.00.9

252 -" 88

137 pr.02 1100 1.00.10

137 pr.02 1100 1.00.11

137 pr.02 1100 1.00.88

137 pr.02 1100 1.00.12

137 pr.02 1.00.12

137 pr.02 1100 1.00.13

137 pr.02 1100 1.00.88

137 pr.02 1100 1.00.14

102

Consr
18000 " 35000 10000 0100 16
Yr 000 ~~for~~ - 20000 17
" 10000 33000 50
10000 10000 5000 18
" 10000 10000 50 18
" 10000 20000 20000 20
" 10000 5000 50 21
" 10000 5000 50 21
" 10000 10000 10000 22
" 10000 10000 10000 23
" 10000 5000 50 23